Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21503	configur$6 near6 node$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:05
L2	1060568	(connecting or connected or connection$1 or connect$1 or wiring or wires or wired or wire) near5 (input$1 or output$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:05
L3	21503	configur$6 near6 node$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06
L4	1060568	(connecting or connected or connection$1 or connect$1 or wiring or wires or wired or wire) near5 (input$1 or output$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06
L5	1463	L3 same L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06
L6	1149	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06
L7	1463	L3 same L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06
L8	1149	((715/763) or (715/967) or (717/104) or (717/105) or (717/109) or (717/113)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:06

L9	21	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:17
L10	26	("20010024211"|"20010035879"|"20020083413"|"20020089538"|"20020129333"|"20040034696"|"20040034847"|"20050028138"|"20050091602"|"4831580"|"5966532"|"6437805"|"6453464").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:26
L17	358215	input near2 terminal$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:54
L18	0	17 with (not$1 near2 displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:38
L19	7	17 same (not$1 near2 displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:39
L20	65	17 same (no$1 near2 displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:39
L21	82166	node$1 near4 (input$1 or output$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:44
L22	58142	only near2 display$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:45

L23	0	22 with (subset near3 input$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:45
L24	2647	22 with (input$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:51
L25	2647	22 with (possib$6 near 3 input$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:46
L26	39	22 with (possib$6 near3 input$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:50
L30	3805	22 with (portion$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:52
L31	0	21 same 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:53
L32	12	17 same 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:53
L33	247526	(portion or part or subset) near2 (input$1 or output$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:55

L34	140	22 with 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/01 09:56